# PRODUCT DATA SHEET

# PhlatLight

# PhlatLight<sup>®</sup> White LED Illumination Products

# SST-50 Series

#### **Features**

- Extremely high optical output: Over 1,250 lumens from a single chip (white)
- Extremely high efficiency: Over 100 lumens per watt at 1.75A
- High thermal conductivity package junction to case thermal resistance of only 2.45  $^\circ\text{C/W}$
- Large, monolithic chip with uniform emitting area of 5 mm<sup>2</sup>
- Lumen maintenance of greater than 70% after 60,000 hours
- · Environmentally friendly: RoHS compliant
- Variable drive currents: less than 1 A through 5 A to full reliability specifications
- High reliability
- · Electrically isolated thermal path

#### Applications

- Replacement Lamps
- High Bay Lighting
- Street Lighting
- Consumer Portable
- Architectural Lighting
- Retail Lighting
- Residential Lighting

LUMINUS

• Spot Lighting



*PhlatLight<sup>®</sup> LEDs enable a new class of illumination applications.* 

#### **Table of Contents**

Technology Overview2
Test Specifications2
PhlatLight Bin Codes 3
Product Shipping and Labeling Information7
Optical and Electrical Characteristics
Spectral Characteristics10
Radiation Patterns11
Thermal Resistance12
Mechanical Dimensions - Emitter
Mechanical Dimensions - Star14
Solder Profile15
Ordering Information16



#### Technology Overview

PhlatLight LEDs benefit from a suite of innovations in the fields of chip technology, packaging, and thermal management. These breakthroughs allow illumination designers to achieve efficient light engine designs and deliver high brightness solutions.

#### PhlatLight Technology

The name PhlatLight is derived from Photonic Lattice. Photonic lattice technology creates true surface emission from the source, which enables large area LED chips with uniform brightness over the entire LED chip surface. The optical power and brightness produced by these large monolithic chips enable solutions which replace arc and halogen lamps where arrays of traditional high power LEDs cannot.

#### Packaging Technology

Thermal management is critical in high power LED applications. With a thermal resistance from junction to case of 2.45 °C/W, PhlatLight SST-50 devices have among the lowest thermal resistance values of any LED on the market. This allows the LED to be driven at higher current densities while maintaining a low junction temperature, thereby resulting in brighter and longer lifetimes. The package is easy to use, and ready to be mounted in the lighting system.

#### Reliability

Designed from the ground up, PhlatLight LEDs are one of the most reliable light sources in the world today. PhlatLight LEDs have passed a rigorous suite of environmental and mechanical stress tests, including mechanical shock, vibration, temperature cycling and humidity, and have been fully qualified for use in extreme high power and high current applications. With very low failure rates and median lifetimes that are well above 60,000 hours, PhlatLight LEDs are ready for the most demanding applications.

#### **Environmental Benefits**

PhlatLight LEDs help reduce power consumption and the amount of hazardous waste entering the environment. All PhlatLight products manufactured by Luminus are RoHS compliant and free of hazardous materials, including lead and mercury.

#### Understanding PhlatLight Test Specifications

Every PhlatLight LED device is fully tested to ensure that it meets the high quality standards of Luminus' products.

#### Multiple Operating Points (1.75A, 5.0A)

The tables on the following pages provide typical optical and electrical characteristics. Since the LEDs can be operated over a wide range of drive conditions (currents from less than 1.0A to 5.0A, and duty cycle from <1% to 100%) multiple drive conditions are listed.

PhlatLight SST-50 devices are production tested at 1.75A. The values shown at 5.0A are for additional reference at other possible drive conditions.



#### PhlatLight White Binning Structure

PhlatLight SST-50 White LEDs are tested for luminous flux and chromaticity at a drive current of 1.75A and placed into one of the following luminous flux (FF) and chromaticity (WW) bins:

For ordering information, please refer to page 16 or PDS-001393: PhlatLight Binning and Labeling.

Color	Flux Bin (FF)	Minimum Flux (Im) @ 1.75 A	Maximum Flux (Im) @ 1.75 A
	WG	350	425
W655 6500K, Standard CRI (tvp. 70)	WH	425	500
	WJ	500	600
	WG	350	425
W57S 5700K Standard CRI (typ. 70)	WH	425	500
STOOK, Standard OKI (typ. 70)	WJ	500	600
	WG	350	425
W45S 4500K Standard CPL (typ. 70)	WH	425	500
	WJ	500	600
	WF	275	350
W40M 4000K Mederate (PL (typ. 82)	WG	350	425
4000K, Moderate CKI, (typ. 63)	WH	425	500
	WF	275	350
W30M	WG	350	425
3000K, Moderate CRI, (typ. 83)	WH	425	500

# Flux Bins (T<sub>J</sub> = 25 °C)



# **Chromaticity Bins**



#### Luminus' Standard Chromaticity Bins: 1931 CIE Curve



The following tables describe the four chromaticity points that bound each chromaticity bin. Chromaticity bins are grouped together based on the color temperature.

6500K Chromaticity Bins				
Bin Code (WW)	CIEx	CIEy		
	0.307	0.311		
DG	0.322	0.326		
00	0.323	0.316		
	0.309	0.302		
	0.305	0.321		
F3*	0.313	0.329		
15	0.315	0.319		
	0.307	0.311		
	0.303	0.330		
E1*	0.312	0.339		
F4 -	0.313	0.329		
	0.305	0.321		
	0.313	0.329		
C2*	0.321	0.337		
65	0.322	0.326		
	0.315	0.319		
	0.312	0.339		
C 4*	0.321	0.348		
64	0.321	0.337		
	0.313	0.329		
	0.302	0.335		
E E	0.320	0.354		
CF -	0.321	0.348		
	0.303	0.330		
	0.283	0.304		
	0.303	0.330		
UE -	0.307	0.311		
	0.289	0.293		
	0.289	0.293		
	0.307	0.311		
DF				
	0.309	0.302		

5700K Chromaticity Bins						
Bin Code (WW)	CIEx	CIEy				
	0.322	0.324				
וח	0.337	0.337				
05	0.336	0.326				
	0.323	0.314				
	0.321	0.335				
⊔2*	0.329	0.342				
пэ	0.329	0.331				
	0.322	0.324				
H4*	0.321	0.346				
	0.329	0.354				
	0.329	0.342				
	0.321	0.335				
	0.329	0.342				
10*	0.337	0.349				
72	0.337	0.337				
	0.330	0.331				
	0.329	0.354				
1.4*	0.338	0.362				
J4	0.337	0.349				
	0.329	0.342				
	0.320	0.352				
EU	0.338	0.368				
EH	0.338	0.362				
	0.321	0.346				

5000K Chromaticity Bins					
Bin Code (WW)	CIEx	CIEy			
	0.338	0.368			
EV	0.356	0.384			
LK	0.355	0.376			
	0.338	0.362			
	0.337	0.349			
V.0*	0.345	0.355			
KJ	0.345	0.343			
	0.337	0.337			
	0.338	0.362			
V 1*	0.347	0.369			
Ν4	0.345	0.355			
	0.337	0.349			
	0.345	0.355			
M2*	0.353	0.362			
1013	0.352	0.349			
	0.344	0.343			
	0.346	0.369			
N//*	0.355	0.376			
1014	0.353	0.362			
	0.345	0.355			
	0.337	0.337			
DM	0.352	0.349			
Divi	0.350	0.337			
	0.336	0.326			

\* Sub-bins within ANSI defined quadrangles per ANSI C78.377-2008



4500k Chromaticity Bins					
Bin Code (WW)	CIEx	CIEy			
	0.356	0.384			
EN	0.376	0.396			
LIN	0.374	0.387			
	0.355	0.374			
	0.353	0.360			
N/2*	0.361	0.366			
143	0.359	0.352			
	0.351	0.347			
	0.355	0.374			
N4*	0.364	0.381			
	0.361	0.366			
	0.353	0.360			
	0.361	0.366			
D2*	0.370	0.373			
гэ	0.367	0.358			
	0.359	0.352			
	0.364	0.381			
D/1*	0.374	0.387			
F 4	0.370	0.373			
	0.361	0.366			
	0.351	0.347			
סח	0.367	0.358			
	0.364	0.346			
	0.350	0.335			

3000K Chromaticity Bins					
Bin Code (WW)	CIEx	CIEy			
	0.435	0.427			
<b>C</b> 11	0.462	0.437			
LU	0.456	0.426			
	0.430	0.417			
	0.422	0.399			
112*	0.434	0.403			
03	0.426	0.385			
	0.415	0.381			
	0.430	0.417			
U4*	0.443	0.421			
	0.434	0.403			
	0.422	0.399			
	0.434	0.403			
\/2*	0.447	0.408			
V3	0.437	0.389			
	0.426	0.385			
	0.443	0.421			
\///*	0.456	0.426			
V4	0.447	0.408			
	0.434	0.403			
	0.415	0.381			
עס	0.437	0.389			
UV	0.431	0.377			
	0.409	0.369			

4000K Chromaticity Bins					
Bin Code (WW)	CIEx	CIEy			
	0.376	0.396			
FO	0.404	0.414			
LQ	0.401	0.404			
	0.374	0.387			
	0.370	0.373			
02*	0.382	0.380			
03	0.378	0.365			
	0.367	0.358			
	0.374	0.387			
04*	0.387	0.396			
Q4	0.382	0.380			
	0.370	0.373			
	0.382	0.380			
D2*	0.395	0.388			
кэ	0.390	0.372			
	0.378	0.365			
	0.387	0.396			
D/*	0.401	0.404			
K4	0.395	0.388			
	0.382	0.380			
	0.367	0.358			
סח	0.390	0.372			
DK	0.386	0.359			
	0.364	0.346			

Bin Code (WW) CIEx CIEy   0.462 0.437   0.488 0.444   0.481 0.432   0.456 0.426   0.456 0.426   0.456 0.426   0.456 0.426   0.458 0.410   0.447 0.408   0.437 0.389   0.437 0.389   0.456 0.426   0.437 0.389   0.458 0.410   0.447 0.408   0.458 0.410   0.447 0.408   0.458 0.410   0.447 0.408   0.459 0.394   0.459 0.394   0.448 0.392   9 0.469 0.429   9 0.469 0.429   0.448 0.392 0.469   0.459 0.394 0.458   0.458 0.410 0.437   0.459 0.389 0.459	2700K Chromaticity Bins					
Best Product of the system 0.462 0.437   0.488 0.444 0.481 0.432   0.456 0.426 0.456 0.426   0.456 0.426 0.458 0.410   0.458 0.410 0.448 0.392   0.437 0.389 0.456 0.426   0.447 0.408 0.392 0.456 0.426   0.447 0.438 0.429 0.458 0.410   0.458 0.410 0.447 0.408   0.458 0.410 0.447 0.408   0.458 0.410 0.458 0.410   0.459 0.394 0.459 0.394   0.4481 0.432 0.469 0.429   Y4* 0.469 0.429 0.481 0.432   0.470 0.413 0.458 0.410   0.458 0.410 0.470 0.413   0.458 0.410 0.458 0.410   0.458 0.410 0.437 0	Bin Code (WW)	CIEx	CIEy			
$\begin{array}{c} {\rm EW} & \begin{array}{c} 0.488 & 0.444 \\ 0.481 & 0.432 \\ 0.481 & 0.432 \\ 0.456 & 0.426 \\ 0.447 & 0.408 \\ 0.458 & 0.410 \\ 0.448 & 0.392 \\ 0.437 & 0.389 \\ 0.456 & 0.426 \\ 0.469 & 0.429 \\ 0.458 & 0.410 \\ 0.447 & 0.408 \\ 0.458 & 0.410 \\ 0.447 & 0.408 \\ 0.458 & 0.410 \\ 0.470 & 0.413 \\ 0.459 & 0.394 \\ 0.448 & 0.392 \\ 0.469 & 0.429 \\ 0.481 & 0.432 \\ 0.470 & 0.413 \\ 0.458 & 0.410 \\ 0.470 & 0.413 \\ 0.458 & 0.410 \\ 0.470 & 0.413 \\ 0.458 & 0.410 \\ 0.470 & 0.413 \\ 0.458 & 0.410 \\ 0.470 & 0.413 \\ 0.458 & 0.410 \\ 0.437 & 0.389 \\ 0.459 & 0.394 \\ 0.452 & 0.382 \\ 0.431 & 0.377 \\ \end{array}$		0.462	0.437			
$\begin{array}{c c} LW & 0.481 & 0.432 \\ \hline 0.481 & 0.432 \\ \hline 0.456 & 0.426 \\ \hline 0.456 & 0.426 \\ \hline 0.458 & 0.410 \\ \hline 0.448 & 0.392 \\ \hline 0.458 & 0.410 \\ \hline 0.447 & 0.389 \\ \hline 0.456 & 0.426 \\ \hline 0.469 & 0.429 \\ \hline 0.458 & 0.410 \\ \hline 0.447 & 0.408 \\ \hline 0.458 & 0.410 \\ \hline 0.470 & 0.413 \\ \hline 0.459 & 0.394 \\ \hline 0.448 & 0.392 \\ \hline 0.469 & 0.429 \\ \hline 0.481 & 0.432 \\ \hline 0.470 & 0.413 \\ \hline 0.458 & 0.410 \\ \hline 0.470 & 0.413 \\ \hline 0.458 & 0.410 \\ \hline 0.470 & 0.413 \\ \hline 0.458 & 0.410 \\ \hline 0.470 & 0.413 \\ \hline 0.458 & 0.410 \\ \hline 0.437 & 0.389 \\ \hline 0.459 & 0.394 \\ \hline 0.452 & 0.382 \\ \hline 0.431 & 0.377 \\ \hline \end{array}$	F\M	0.488	0.444			
0.456 0.426   0.447 0.408   0.458 0.410   0.448 0.392   0.437 0.389   0.437 0.389   0.456 0.426   0.447 0.408   0.437 0.389   0.456 0.426   0.458 0.410   0.458 0.410   0.447 0.408   0.458 0.410   0.447 0.408   0.459 0.394   0.459 0.394   0.448 0.392   Y4* 0.469 0.429   0.458 0.410   0.458 0.410   0.459 0.394   0.469 0.429   Y4* 0.469 0.429   0.458 0.410   0.458 0.410   0.458 0.410   0.458 0.410   0.458 0.410   0.459 0.389   0.459 0.382 <td></td> <td>0.481</td> <td>0.432</td>		0.481	0.432			
$\begin{array}{c cccc} & 0.447 & 0.408 \\ \hline 0.458 & 0.410 \\ \hline 0.448 & 0.392 \\ \hline 0.437 & 0.389 \\ \hline 0.437 & 0.389 \\ \hline 0.456 & 0.426 \\ \hline 0.469 & 0.429 \\ \hline 0.458 & 0.410 \\ \hline 0.447 & 0.408 \\ \hline 0.458 & 0.410 \\ \hline 0.447 & 0.408 \\ \hline 0.458 & 0.410 \\ \hline 0.470 & 0.413 \\ \hline 0.459 & 0.394 \\ \hline 0.448 & 0.392 \\ \hline 0.469 & 0.429 \\ \hline 0.481 & 0.432 \\ \hline 0.470 & 0.413 \\ \hline 0.458 & 0.410 \\ \hline 0.470 & 0.413 \\ \hline 0.458 & 0.410 \\ \hline 0.437 & 0.389 \\ \hline 0.459 & 0.394 \\ \hline 0.452 & 0.382 \\ \hline 0.431 & 0.377 \\ \hline \end{array}$		0.456	0.426			
$\begin{array}{c cccc} & 0.458 & 0.410 \\ \hline 0.448 & 0.392 \\ \hline 0.437 & 0.389 \\ \hline 0.437 & 0.389 \\ \hline 0.456 & 0.426 \\ \hline 0.469 & 0.429 \\ \hline 0.458 & 0.410 \\ \hline 0.458 & 0.410 \\ \hline 0.447 & 0.408 \\ \hline 0.458 & 0.410 \\ \hline 0.470 & 0.413 \\ \hline 0.459 & 0.394 \\ \hline 0.448 & 0.392 \\ \hline 0.469 & 0.429 \\ \hline 0.481 & 0.432 \\ \hline 0.470 & 0.413 \\ \hline 0.470 & 0.413 \\ \hline 0.458 & 0.410 \\ \hline 0.470 & 0.413 \\ \hline 0.458 & 0.410 \\ \hline 0.437 & 0.389 \\ \hline 0.459 & 0.394 \\ \hline 0.452 & 0.382 \\ \hline 0.431 & 0.377 \\ \hline \end{array}$		0.447	0.408			
$\begin{array}{c ccccc} & 0.448 & 0.392 \\ \hline 0.437 & 0.389 \\ \hline 0.437 & 0.389 \\ \hline 0.437 & 0.389 \\ \hline 0.456 & 0.426 \\ \hline 0.469 & 0.429 \\ \hline 0.458 & 0.410 \\ \hline 0.447 & 0.408 \\ \hline 0.458 & 0.410 \\ \hline 0.470 & 0.413 \\ \hline 0.470 & 0.413 \\ \hline 0.459 & 0.394 \\ \hline 0.481 & 0.432 \\ \hline 0.470 & 0.413 \\ \hline 0.470 & 0.413 \\ \hline 0.481 & 0.432 \\ \hline 0.470 & 0.413 \\ \hline 0.458 & 0.410 \\ \hline 0.437 & 0.389 \\ \hline 0.459 & 0.394 \\ \hline 0.452 & 0.382 \\ \hline 0.431 & 0.377 \\ \hline \end{array}$	\N/2*	0.458	0.410			
$\begin{array}{c ccccc} 0.437 & 0.389 \\ \hline 0.437 & 0.389 \\ \hline 0.456 & 0.426 \\ \hline 0.469 & 0.429 \\ \hline 0.458 & 0.410 \\ \hline 0.477 & 0.408 \\ \hline 0.447 & 0.408 \\ \hline 0.470 & 0.413 \\ \hline 0.470 & 0.413 \\ \hline 0.459 & 0.394 \\ \hline 0.448 & 0.392 \\ \hline 0.469 & 0.429 \\ \hline 0.481 & 0.432 \\ \hline 0.470 & 0.413 \\ \hline 0.458 & 0.410 \\ \hline 0.470 & 0.413 \\ \hline 0.458 & 0.410 \\ \hline 0.437 & 0.389 \\ \hline 0.459 & 0.394 \\ \hline 0.452 & 0.382 \\ \hline 0.431 & 0.377 \\ \hline \end{array}$	VV 3	0.448	0.392			
$\begin{array}{c cccc} & 0.456 & 0.426 \\ \hline 0.469 & 0.429 \\ \hline 0.458 & 0.410 \\ \hline 0.447 & 0.408 \\ \hline 0.458 & 0.410 \\ \hline 0.447 & 0.408 \\ \hline 0.458 & 0.410 \\ \hline 0.470 & 0.413 \\ \hline 0.459 & 0.394 \\ \hline 0.448 & 0.392 \\ \hline 0.469 & 0.429 \\ \hline 0.481 & 0.432 \\ \hline 0.470 & 0.413 \\ \hline 0.458 & 0.410 \\ \hline 0.437 & 0.389 \\ \hline 0.459 & 0.394 \\ \hline 0.459 & 0.394 \\ \hline 0.452 & 0.382 \\ \hline 0.431 & 0.377 \\ \hline \end{array}$		0.437	0.389			
$\begin{array}{c cccc} W4^{\star} & \hline 0.469 & 0.429 \\ \hline 0.458 & 0.410 \\ \hline 0.447 & 0.408 \\ \hline 0.447 & 0.408 \\ \hline 0.458 & 0.410 \\ \hline 0.470 & 0.413 \\ \hline 0.459 & 0.394 \\ \hline 0.448 & 0.392 \\ \hline 0.469 & 0.429 \\ \hline 0.481 & 0.432 \\ \hline 0.470 & 0.413 \\ \hline 0.470 & 0.413 \\ \hline 0.458 & 0.410 \\ \hline 0.437 & 0.389 \\ \hline 0.459 & 0.394 \\ \hline 0.459 & 0.394 \\ \hline 0.452 & 0.382 \\ \hline 0.431 & 0.377 \\ \hline \end{array}$		0.456	0.426			
$\begin{array}{c ccccc} & 0.458 & 0.410 \\ \hline 0.447 & 0.408 \\ \hline 0.447 & 0.408 \\ \hline 0.458 & 0.410 \\ \hline 0.470 & 0.413 \\ \hline 0.459 & 0.394 \\ \hline 0.448 & 0.392 \\ \hline 0.469 & 0.429 \\ \hline 0.481 & 0.432 \\ \hline 0.470 & 0.413 \\ \hline 0.470 & 0.413 \\ \hline 0.458 & 0.410 \\ \hline 0.437 & 0.389 \\ \hline 0.459 & 0.394 \\ \hline 0.452 & 0.382 \\ \hline 0.431 & 0.377 \\ \hline \end{array}$	W4*	0.469	0.429			
$\begin{array}{c ccccc} 0.447 & 0.408 \\ \hline 0.458 & 0.410 \\ 0.470 & 0.413 \\ \hline 0.459 & 0.394 \\ \hline 0.448 & 0.392 \\ \hline 0.469 & 0.429 \\ \hline 0.481 & 0.432 \\ \hline 0.470 & 0.413 \\ \hline 0.470 & 0.413 \\ \hline 0.458 & 0.410 \\ \hline 0.437 & 0.389 \\ \hline 0.459 & 0.394 \\ \hline 0.452 & 0.382 \\ \hline 0.431 & 0.377 \\ \hline \end{array}$		0.458	0.410			
$\begin{array}{c} 0.458 & 0.410 \\ 0.470 & 0.413 \\ 0.459 & 0.394 \\ 0.448 & 0.392 \\ 0.469 & 0.429 \\ 0.481 & 0.432 \\ 0.470 & 0.413 \\ 0.458 & 0.410 \\ 0.437 & 0.389 \\ 0.459 & 0.394 \\ 0.452 & 0.382 \\ 0.431 & 0.377 \end{array}$		0.447	0.408			
$\begin{array}{c} Y3^{\star} & \begin{array}{cccc} 0.470 & 0.413 \\ 0.459 & 0.394 \\ 0.448 & 0.392 \\ 0.448 & 0.392 \\ \end{array} \\ Y4^{\star} & \begin{array}{c} 0.469 & 0.429 \\ 0.481 & 0.432 \\ 0.470 & 0.413 \\ 0.458 & 0.410 \\ 0.437 & 0.389 \\ 0.459 & 0.394 \\ 0.452 & 0.382 \\ 0.431 & 0.377 \end{array}$		0.458	0.410			
0.459 0.394   0.448 0.392   0.448 0.392   0.469 0.429   0.481 0.432   0.470 0.413   0.458 0.410   0.459 0.389   0.459 0.394   0.459 0.394   0.459 0.394   0.459 0.394   0.452 0.382   0.431 0.377	V2*	0.470	0.413			
$\begin{array}{c cccc} 0.448 & 0.392 \\ \hline 0.469 & 0.429 \\ 0.481 & 0.432 \\ \hline 0.470 & 0.413 \\ \hline 0.458 & 0.410 \\ \hline 0.437 & 0.389 \\ \hline 0.459 & 0.394 \\ \hline 0.452 & 0.382 \\ \hline 0.431 & 0.377 \\ \hline \end{array}$	15	0.459	0.394			
$\begin{array}{c} 0.469 & 0.429 \\ 0.481 & 0.432 \\ 0.470 & 0.413 \\ 0.458 & 0.410 \\ 0.437 & 0.389 \\ 0.459 & 0.394 \\ 0.452 & 0.382 \\ 0.431 & 0.377 \end{array}$		0.448	0.392			
$\begin{array}{c} Y4^{*} \\ \hline 0.481 \\ 0.470 \\ 0.470 \\ 0.413 \\ 0.458 \\ 0.410 \\ 0.437 \\ 0.389 \\ 0.459 \\ 0.394 \\ 0.452 \\ 0.382 \\ 0.431 \\ 0.377 \end{array}$		0.469	0.429			
0.470 0.413   0.458 0.410   0.458 0.410   0.437 0.389   0.459 0.394   0.452 0.382   0.431 0.377	V//*	0.481	0.432			
0.458 0.410   0.437 0.389   0.459 0.394   0.452 0.382   0.431 0.377	14	0.470	0.413			
DY 0.437 0.389 0.459 0.394 0.452 0.382 0.431 0.377		0.458	0.410			
DY 0.459 0.394 0.452 0.382 0.431 0.377		0.437	0.389			
0.452 0.382 0.431 0.377	υΛ	0.459	0.394			
0.431 0.377		0.452	0.382			
		0.431	0.377			

* Su	b-bins	within	ANSI	defined	quadra	angles	per	ANSI	C78	.377	-200	8
------	--------	--------	------	---------	--------	--------	-----	------	-----	------	------	---

LUMINUS

3500K Chromaticity Bins				
Bin Code (WW)	CIEx	CIEy		
	0.403	0.411		
ES	0.435	0.427		
ES	0.430	0.417		
	0.400	0.402		
	0.394	0.385		
c0*	0.407	0.392		
33	0.402	0.375		
	0.389	0.369		
S4*	0.400	0.402		
	0.415	0.409		
	0.407	0.392		
	0.394	0.385		
	0.407	0.392		
Т0*	0.422	0.399		
13	0.415	0.381		
	0.402	0.375		
	0.415	0.409		
τ*	0.430	0.417		
14	0.422	0.399		
	0.407	0.392		
	0.389	0.369		
DT	0.415	0.381		
UI	0.409	0 369		

0.385

0.357



#### PhlatLight Product Shipping and Labeling Information

All PhlatLight products are packaged and labeled with their respective bin as outlined in the tables on page 3. When shipped, each package will only contain one bin. The part number designation is as follows:

331 - 30 - WINNA - F21 - FF - W	SST	— 50		—— F21	—— FF	WW
---------------------------------	-----	------	--	--------	-------	----

Product Family	Chip Area	Color	Package Configuration	Flux Bin	Chromaticity Bin
SST: Surface Mount	50: 5.0 mm <sup>2</sup>	WNNX: CCT and CRI See Note 1 Below	F21: 7mm x 9mm emitter	See page 3 for bins	See page 4 for bins

- Note 1. WNNX nomenclature corresponds to the following:
  - W = White
  - NN = color temperature, where:
    - 65 corresponds to 6500K
    - 40 corresponds to 4000K
    - 30 corresponds to 3000K, etc.
  - X = color rendering index, where:
    - S (standard) corresponds to a typical CRI of 70
    - M (moderate) corresponds to a typical CRI of 83
    - H (high) corresponds to a typical CRI of 92.
- Note 2. Some flux and chromaticity bins may have limited availability. Application specific bin kits, consisting of multiple bins, may be available. For ordering information, please refer to page 16 and reference the PhlatLight Binning and Labeling document.

Example: The part label SST-50-W65S-F21-WJ-G4 refers to a 6500K standard CRI white, SST-50 emitter, F21 package configuration, with a flux range of 500 to 600 lumens and a chromaticity value within the box defined by the four points (0.313, 0.338), (0.321, 0.348), (0.322, 0.336), (0.312, 0.328).

Example: The part label SST-50-W30M-F21-WF-U3 refers to a 3000K moderate CRI white, SST-50 emitter, F21 package configuration, with a flux range of 275 to 350 lumens and a chromaticity value within the box defined by the four points (0.422, 0.399), (0.434, 0.403), (0.426, 0.386), (0.415, 0.381).



# Optical and Electrical Characteristics (T<sub>J</sub> = 25 °C)

White				
Drive Condition <sup>1</sup>		1.75A	5.0 A	
Parameter	Symbol	Typical Values at Test Current	Values at Indicated Currents <sup>2</sup>	Unit
Current Density	j	0.35	1.0	A/mm <sup>2</sup>
	V <sub>F,min</sub>	2.5		V
Forward Voltage	V <sub>F,typ</sub>	3.2	3.6	V
	V <sub>F,max</sub>	5.0		V

#### **Common Characteristics**

	Symbol	Values	Unit
Viewing Angle	2θ <sub>1/2</sub>	100	degrees
Emitting Area		5.0	mm <sup>2</sup>
Emitting Area Dimensions		2.25 x 2.25	mm×mm
Forward Voltage Temperature Coefficient <sup>3</sup>		-4.4	mV/°C

#### Absolute Maximum Ratings

	Symbol	Values	Unit
Maximum Current <sup>4</sup>		5.0	А
Maximum Reverse Current		Not Allowed	А
Maximum Junction Temperature <sup>5</sup>	T <sub>j-max</sub>	150	°C
Storage Temperature Range		-40/+100	°C

Note 1: Listed drive conditions are typical for common applications. PhlatLight SST-50-W devices can be driven at currents ranging from <1A to 5A and at duty cycles ranging from <1% to 100%. Drive current and duty cycle should be adjusted as necessary to maintain the junction temperature desired to meet application lifetime requirements.

Note 2: Unless otherwise noted, values listed are typical.

Note 3: Forward voltage temperature coefficient at 1.75A. Contact Luminus for value at other drive conditions.

Note 4: Luminus PhlatLight SST-50-W LEDs are designed for operation to an absolute maximum forward drive current 5A. Product lifetime data is specified at recommended forward drive currents. Sustained operation at absolute maximum currents will result in a reduction of device lifetime compared to recommended forward drive currents. Actual device lifetimes will also depend on junction temperature. Refer to APN-001521: Reliability Application Note for SST-50-W for further information. In pulsed operation, rise time from 10-90% of forward current should be larger than 0.5 microseconds.

*Note 5:* Lifetime dependent on LED junction temperature . Thermal calculations based on input power and thermal management system should be performed to ensure Tj is maintained below Tjmax rating or life will be reduced. Refer to APN-001521 for further information.

Note 6: CIE measurement uncertainty for white devices is estimated to be +/- 0.01.

Note 7: Special design considerations must be observed for operation under 1A. Please contact Luminus for further information.

*Note 8: Caution must be taken not to stare at the light emitted from these LEDs. Under special circumstances, the high intensity could damage the eye.* 





Relative Luminous Flux vs. Forward Current  $(T_J = 25^{\circ}C)^1$ 

# Forward Current vs. Forward Voltage $(T_J = 25^{\circ}C)^1$



1. Yellow squares indicate typical operating conditions.



# Relative Output Flux vs. Junction Temperature (I<sub>F</sub> = 1.75A)

# Typical Relative Spectral Power (T<sub>J</sub> = 25°C)



LUMINUS



# **Typical Polar Radiation Pattern**

# **Typical Angular Radiation Pattern**



LUMINUS



# **Thermal Resistance**



I VDICAL I DEFINAL RESISTANC	Turniani	The sum of	Desistance
	I vpical	Inermai	Resistance

$R_{j-c}^{1}$	2.45 °C/W	
$R_{j-b}^{1}$	4.28 °C/W	
$R_{j-hs}^2$	4.39 °C/W	
Note 1. Thermal registeres values are		

Note I:	Thermal resistance values are
	based on FEA model results cor-
	related to measured $R_{\theta j-hs}$
	data.
Note 2:	Thermal resistance is measured
	using a SAC305 solder, a
	Bergquist AI-clad MCPCB, and
	eGraf 1205 thermal interface
	material



### Mechanical Dimensions - SST-50 Emitter



LUMINUS





#### Mechanical Dimensions - SST-50 Star

PhlatLight SST-50-W devices are available on a star board for prototyping purposes. Please see page 16 for ordering information.





# **Reflow Soldering Characteristics**



# Solder profile guideline

Solder Profile Stage	Lead-free solder	Lead-based solder
Profile Length, Ambient to Peak	2.75 - 3.5 minutes	2.75 - 3.5 minutes
Time Maintained Above: Temperature	217 °C	183 °C
Time Maintained Above: Time	30 - 60 seconds	30-60 seconds
Cooldown Rate	$\leq$ 4° C/sec	≤ 4° C/sec
Cooldown Duration	45 ± 15 sec	45 ± 15 sec

Note: 1. Temperatures are taken and monitored at the component copper layer

Note: 2. Optimum profile may differ due to oven type, circuit board or assembly layout

Note: 3. Recommended lead free, no-clean solder: AIM NC254-SAC305

Note: 4. Refer to APN-001473: PhlatLight Soldering and Handling application note for additional solder profiles and details.

#### **Ordering Information**

Ordering Part Number <sup>1,2</sup>	Color	Description
SST-50-WDLS-F21-GG150	6500K White 5700K White	White PhlatLight SST-50 surface mount device consisting of a domed 5mm <sup>2</sup> LED mounted on a ceramic substrate.
SST-50-WCLS-F21-GG350	5000K White 4500K White	White PhlatLight SST-50 surface mount device consisting of a domed 5mm <sup>2</sup> LED mounted on a ceramic substrate.
SST-50-WWTM-F21-GF550	4000K White 3500K White	White PhlatLight SST-50 surface mount device consisting of a domed 5mm <sup>2</sup> LED mounted on a ceramic substrate.
SST-50-WWRM-F21-GF750	3000K White 2700K White	White PhlatLight SST-50 surface mount device consisting of a domed 5mm <sup>2</sup> LED mounted on a ceramic substrate.

SSR-50-WDLS-R21-GG150	6500K White 5700K White	PhlatLight SSR-50 evaluation module consisting of a SST-50 surface mount device mounted on an aluminum star board.
SSR-50-WCLS-R21-GG350	5000K White 4500K White	PhlatLight SSR-50 evaluation module consisting of a SST-50 surface mount device mounted on an aluminum star board.
SSR-50-WWTM-R21-GF550	4000K White 3500K White	PhlatLight SSR-50 evaluation module consisting of a SST-50 surface mount device mounted on an aluminum star board.
SSR-50-WWRM-R21-GF750	3000K White 2700K White	PhlatLight SSR-50 evaluation module consisting of a SST-50 surface mount device mounted on an aluminum star board.

Note 1: GG150 - denotes a bin kit comprising of all flux and chromaticity bins at the 6500K and 5700K color points GG350 - denotes a bin kit comprising of all flux and chromaticity bins at the 5000K and 4500K color points GF550 - denotes a bin kit comprising of all flux and chromaticity bins at the 4000K and 3500K color points GF750 - denotes a bin kit comprising of all flux and chromaticity bins at the 3000K and 2700K color points

Note 2: For ordering information on all available bin kits, please see PDS-001393: PhlatLight Binning and Labeling document



#### www.luminus.com

The products, their specifications and other information appearing in this document are subject to change by Luminus Devices without notice. Luminus Devices assumes no liability for errors that may appear in this document, and no liability otherwise arising from the application or use of the product or information contained herein. None of the information provided herein should be considered to be a representation of the fitness or suitability of the product for any particular application or as any other form of warranty. Luminus Devices' product warranties are limited to only such warranties as accompany a purchase contract or purchase order for such products. Nothing herein is to be construed as constituting an additional warranty. No information contained in this publication may be considered as a waiver by Luminus Devices of any intellectual property rights that Luminus Devices may have in such information. PhlatLight<sup>®</sup> is a registered trademark of Luminus Devices, Inc., all rights reserved.

a. This product is protected by U.S. Patents 6,831,302; 7,074,631; 7,083,993; 7,084,434; 7,098,589; 7,105,861; 7,138,666; 7,166,870; 7,166,871; 7,170,100; 7,196,354; 7,211,831; 7,262,550; 7,274,043; 7,301,271; 7,341,880; 7,344,903; 7,345,416; 7,348,603; 7,388,233; 7,391,059; Patents Pending in the U.S. and other countries.